

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	744	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L2	17914	((726/2) or (726/3) or (726/4) or (726/5) or (726/8) or (726/18) or (726/27) or (726/30) or (380/202) or (380/241) or (709/200) or (709/201) or (709/223) or (709/225) or (709/229) or (709/232) or (707/1) or (707/9) or (707/10) or (707/100) or (707/103x) or (707/200) or (705/58)).CCLS.	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L3	62646	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 employee\$1 (user\$2 near2 information\$1) (user\$2 near2 data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L4	223	L2 and L1	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L5	115	L4 and L3	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L6	5641	L2 and (unique\$2 near3 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L7	729	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L8	67173	(object\$1 user\$1) near3 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L9	56804	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 (user\$2 near information\$1) (user\$2 near data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L10	205	L7 and L8 and L9	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L11	32640	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35

EAST Search History

L12	5760	L9 and L11	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L13	124	L1 and L12	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L14	56	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 L1	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L15	729	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L16	23835	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (lan (local\$2 near2 resource\$1) (local\$2 near2 resource\$1) remote\$2)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L17	115	L16 and L10	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L18	773110	(local lan within in) near4 (system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L19	744	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L20	32640	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L21	56804	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 (user\$2 near information\$1) (user\$2 near data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L22	5760	L21 and L20	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L23	124	L19 and L22	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L24	771602	(local within in) near4 (system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L25	1354	L24 near4 (unique\$2 near3 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35

EAST Search History

L26	68855	(remote\$2 outside\$1 across distribute\$3 multiple\$1 another) near4 (access\$3 control\$1 gain\$3 obtain\$3 log\$4) near4 (network\$1 system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L27	307	L26 near4 (unique\$2)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L28	26894	(remote\$2 outside\$1) near2 (access\$3 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L29	302769	(remote\$2 outside\$1 across distribute\$3 multiple\$1 another) near4 (network\$1 system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L30	3021	unique\$2 near3 (userid user-id ((user\$1 employee\$1 student\$1) near2 (id identif\$4 identit\$3 identification\$1)))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L31	113	L24 with L30	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L32	744	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L33	744	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L34	729	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L35	62646	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 employee\$1 (user\$2 near2 information\$1) (user\$2 near2 data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L36	273809	(local user\$1 personal\$1 client\$1) near4 (system\$1 node\$1 station\$1 computer\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L37	32643	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 employee-ID student-ID ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L38	124	L19 and L22	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35

EAST Search History

L39	56	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 L1	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L40	21	L3 and L39	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L41	1065	(universal\$2 global\$1) near5 (unique\$2 near2 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L42	32643	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 employee-ID student-ID ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L43	5762	L9 and L42	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L44	149	L43 and L41	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L45	136500	(remote\$2 outside\$1) near4 (access\$3 control\$1 gain\$3 obtain\$3 log\$4 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L46	85	L45 and L44	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L47	16	L25 and L27	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L48	744	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L49	62	L26 near4 (unique\$2 near3 (id identif\$4 identit\$3 identification\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L50	729	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L51	53	L30 with L29	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L52	599	L30 with L36	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L53	31	L52 and L51	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L54	960	L30 and L26	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35

EAST Search History

L55	12	L30 with L26	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L56	43	L54 and L31	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L57	23835	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (lan (local\$2 near2 resource\$1) (local\$2 near2 resource\$1) remote\$2)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L58	67173	(object\$1 user\$1) near3 (id identif\$4 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L59	205	L50 and L58 and L21	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L60	115	L57 and L59	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L61	56804	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 (user\$2 near information\$1) (user\$2 near data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L62	744	(universal\$2 global\$1) near2 unique\$2 near2 (id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L63	62646	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (object\$1 employee\$1 (user\$2 near2 information\$1) (user\$2 near2 data\$1) (user\$2 near2 record\$1))	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L64	26894	(remote\$2 outside\$1) near2 (access\$3 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L65	56	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 L19	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L66	136500	(remote\$2 outside\$1) near4 (access\$3 control\$1 gain\$3 obtain\$3 log\$4 userid\$2 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L67	5760	L21 and L20	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35

EAST Search History

L68	32640	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L69	32643	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom) near3 (userID\$1 employee-ID student-ID ID identification\$2 identit\$3 identifier\$1)	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L70	74	L8 and L9 and L16 and L1 and L11	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L71	43	L70 and L28	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L72	6	L47 and L3	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L73	7	L56 and L55	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35
L74	15	L53 and L3	USPAT; IBM_TDB	OR	OFF	2006/12/06 16:35